

Restricted entry intervals for pesticides

Under regulation 13.23 of the Health and Safety at Work (Hazardous Substances) Regulations 2017 the following restricted entry intervals are set and come into force 10 June 2025:

| APPROVAL NUMBER | SUBSTANCE NAME | ACTIVE | RESTRICTED ENTRY INTERVAL |
|-----------------|--|----------------------------|--|
| HSR000734 | Emulsifiable concentrate containing 18 g/litre abamectin (Substance A) | abamectin | – Apples, pears 4 days |
| HSR000735 | Emulsifiable concentrate containing 18 g/litre abamectin (Substance B) | abamectin | – Apples, pears 4 days |
| HSR100716 | Tripsol | abamectin and acrinathrin | – Until dry |
| HSR100729 | INVERT EW | abamectin | – Apples, pears 4 days |
| HSR101002 | Mitex 18EC | abamectin | – Apples, pears 4 days |
| HSR101003 | Solvigo | abamectin and thiamethoxam | – Bulb onions 2 days |
| HSR101034 | Abamet | abamectin | – Apples, pears 4 days |
| HSR101144 | Abba | abamectin | – Apples, pears 4 days |
| HSR101211 | Tina Miticide and Insecticide | abamectin | – Apples, pears 4 days |
| HSR101316 | Cropro Stealth Miticide and Insecticide | abamectin | – Apples, pears 4 days |
| HSR000154 | Soluble concentrate containing 195 g/litre acephate. Also contains ethylene glycol | acephate | – 68 days |
| HSR000155 | Water soluble powder containing 750 - 970 g/kg acephate | acephate | – Citrus, tamarillos 47 days – Avocado 21 days – Boysenberries 19 days – Lettuce 18 days – Tomatoes 15 days – Vegetables brassicas 32 days – Ornaments 11 days |
| HSR000156 | Emulsifiable concentrate containing 45 g/litre acephate and 8.8 g/litre myclobutanil | acephate and myclobutanil | – 68 days |
| HSR000157 | Emulsifiable concentrate containing 45 g/litre acephate and 39 g/litre triforine | acephate and triforine | – 68 days |

| APPROVAL NUMBER | SUBSTANCE NAME | ACTIVE | RESTRICTED ENTRY INTERVAL |
|-----------------|--|--|---|
| HSR000158 | Emulsifiable concentrate containing 22.5 g/litre acephate and 19.5 g/litre triforine | acephate and triforine | - 68 days |
| HSR100588 | Actigard | acibenzolar-S-methyl | - Until dry |
| HSR101029 | Blossom Protect Component B | 2 strains of Aureobasidium pullulans | - Until dry |
| HSR100739 | Brigade T&O 100g/l SC | bifenthrin | - Turf 20 days - Ornamentals 4 days |
| HSR101069 | Fury 120 SC | bifenthrin and alpha-cypermethrin | - Until dry |
| HSR000441 | Suspension concentrate containing 100 g/litre carbaryl | carbaryl | - 32 days |
| HSR000450 | Suspension concentrate containing 500 g/litre carbaryl (Substance A) | carbaryl | - 32 days |
| HSR000594 | Wettable powder containing 115 g/kg carbaryl, 250 g/kg copper as copper oxychloride and 284 g/kg sulphur | carbaryl, copper as copper oxychloride and sulphur | - 32 days |
| HSR000680 | Suspension concentrate containing 500 g/litre carbaryl (Substance C) | carbaryl | - Apples, pears, persimmons 21 days - Stonefruit and tamarillos 13 - Avocado 5 days - Bushfruit and canefruit 14 days - Maize and sweet corn 12 days - Ornamentals 24 hrs - Flowers 23 days - Strawberries 12 days - Cabbages and tomatoes 17 days |
| HSR000681 | Suspension concentrate containing 500 g/litre carbaryl (Substance B) | carbaryl | - Apples, pears, persimmons, 21 days - Stonefruit and tamarillos 13 days - Avocado 5 days - Bushfruit and canefruit 14 days - Maize and sweet corn 12 days - Ornamentals 24 hrs - Flowers 23 days - Strawberries 12 days - Cabbages and tomatoes 17 |
| HSR007696 | Wettable powder containing 150 - 200 g/kg carbaryl and 150 - 200 g/kg mancozeb | carbaryl and mancozeb | - 32 days |
| HSR000165 | Wettable powder containing 500 g/kg chlorpyrifos | chlorpyrifos | - 8 days |
| HSR000170 | Granular material containing 50g/kg chlorpyrifos. Also contains xylene | chlorpyrifos | - 8 days |
| HSR000171 | Emulsifiable concentrate containing 480 g/litre chlorpyrifos | chlorpyrifos | - 8 days |
| HSR000173 | Wettable powder containing 56.25 g/kg carbendazim, 93.75 g/kg chlorpyrifos and 400 g/kg mancozeb | chlorpyrifos, carbendazim and mancozeb | - 34 days |
| HSR000224 | Emulsifiable concentrate containing 450 - 500 g/litre chlorpyrifos | chlorpyrifos | - Pipfruit, stonefruit 24 hrs |

| APPROVAL NUMBER | SUBSTANCE NAME | ACTIVE | RESTRICTED ENTRY INTERVAL |
|-----------------|--|-------------------------|--|
| HSR000225 | Emulsifiable concentrate containing 480 g/litre chlorpyrifos. Also contains xylene | chlorpyrifos | - Pipfruit, stonefruit 24 hrs |
| HSR100018 | Rampage | chlorpyrifos | - Pipfruit, stonefruit 48 hrs |
| HSR000174 | Emulsifiable concentrate containing 800 g/litre diazinon (Substance A) | diazinon | - 76 days |
| HSR000177 | Wettable powder containing 500 g/kg of diazinon | diazinon | - 76 days |
| HSR000178 | Emulsifiable concentrate containing 200 g/litre diazinon | diazinon | - 76 days |
| HSR000179 | Emulsifiable concentrate containing 500 g/litre diazinon and 25 g/litre permethrin | diazinon and permethrin | - 76 days |
| HSR000180 | Emulsion (oil in water) containing 500 - 600 g/litre diazinon | diazinon | - Apples, pears, mandarins, oranges 12 days - Avocados 10 days - Tomatoes 13 days - Strawberries 13 days - Forage brassicas 12 days - Cereals 12 days - Ornamentals 6 days |
| HSR000181 | Emulsifiable concentrate containing 800 g/litre diazinon (Substance B) | diazinon | - 76 days |
| HSR000182 | Emulsifiable concentrate containing 95 g/litre diazinon | diazinon | - 76 days |
| HSR000183 | Emulsifiable concentrate containing 800 g/litre diazinon (Substance C) | diazinon | - 76 days |
| HSR000184 | Emulsifiable concentrate containing 600 g/litre diazinon | diazinon | - 76 days |
| HSR002481 | Diazamax 800 | diazinon | - Apples, pears 13 days - Tomatoes 14 days - Forage brassicas 14 days - Cereals 13 days - Seed crops 18 days |
| HSR007700 | Emulsion (oil in water) containing 600 g/litre diazinon | diazinon | - 76 days |
| HSR100878 | DIAZEC 800 | diazinon | - 76 days |
| HSR101016 | Dianex | diazinon | - Apples, pears 13 days - Tomatoes 14 days - Forage brassicas 14 days - Cereals 13 days - Seed crops 18 days |
| HSR000212 | Aerosol containing 50 g/kg dichlorvos | dichlorvos | - Indoor crops (greenhouse) 24 hours - Indoor crops (non-greenhouse) 48 hours |
| HSR000211 | Emulsifiable concentrate containing 1000 g/litre dichlorvos | dichlorvos | - Indoor crops (greenhouse) 24 hours - Indoor crops (non-greenhouse) 48 hours - All outdoor crops 48 hours |

| APPROVAL NUMBER | SUBSTANCE NAME | ACTIVE | RESTRICTED ENTRY INTERVAL |
|-----------------|--|---|--|
| HSR000213 | Emulsifiable concentrate containing 1140 g/litre dichlorvos | dichlorvos | <ul style="list-style-type: none"> - Indoor crops (greenhouse) 24 hours - Indoor crops (non-greenhouse) 48 hours - All outdoor crops 48 hours |
| HSR000188 | Emulsifiable concentrate containing 400 g/litre dimethoate | dimethoate | <ul style="list-style-type: none"> - 49 days |
| HSR000191 | Emulsifiable concentrate containing 100 g/litre dimethoate | dimethoate | <ul style="list-style-type: none"> - 49 days |
| HSR000193 | Emulsifiable concentrate containing 500 g/litre dimethoate | dimethoate | <ul style="list-style-type: none"> - 49 days |
| HSR000965 | Perfekthion S-1 | dimethoate | <ul style="list-style-type: none"> - 49 days |
| HSR100129 | Danadim | dimethoate | <ul style="list-style-type: none"> - Strawberries 24 hrs - Berryfruit, blackcurrants 24 hrs - Apples, pears, plums 9 days - Pasture 24 hrs - Vegetables, broccoli, brussels sprouts, cabbage, cauliflower 48 hrs - Other crops until dry |
| HSR101089 | MYCOTAL WG | spores of the entomopathogenic fungus <i>Lecanicillium muscarium</i> 19.79 strain | <ul style="list-style-type: none"> - Until dry |
| HSR100609 | XF-92037 | fenbuconazole | <ul style="list-style-type: none"> - 31 days |
| HSR101234 | Sable | fenoxaprop-P-ethyl | <ul style="list-style-type: none"> - Wheat, barley, perennial ryegrass, pasture 24 hours |
| HSR000578 | Water dispersible granule containing 300 g/kg indoxacarb | indoxacarb | <ul style="list-style-type: none"> - Apples and pears 12 days - Grapes 6 days |
| HSR000583 | Suspension concentrate containing 150 g/litre indoxacarb | indoxacarb | <ul style="list-style-type: none"> - Cabbage, cauliflower, broccoli, brussels sprouts 12 days - Kiwifruit 24 hrs - Head Lettuce 5 days - Apples and pears 12 days - Grapes 6 days |
| HSR100664 | Doxstar | indoxacarb | <ul style="list-style-type: none"> - Cabbage, cauliflower, broccoli, brussels sprouts 12 days - Head Lettuce 5 days - Apples and pears 12 days - Grapes 6 days |
| HSR100908 | GF-2595 | lambda-cyhalothrin and chlorpyrifos | <ul style="list-style-type: none"> - Maize 5 days - Cereals 12 days - Forage brassicas 18 days - Potatoes 32 days |
| HSR000336 | Capsule suspension containing 250 g/litre lambda-cyhalothrin | lambda-cyhalothrin | <ul style="list-style-type: none"> - Beans, forage brassica, tomatoes, sweet corn, clover seed crops, cereals, maize 48 hrs - Vegetable brassica 7 days - Onions 3 days - Grapes 5 days |
| HSR008052 | Dovetail | pirimicarb lambda-cyhalothrin | <ul style="list-style-type: none"> - Until dry |

| APPROVAL NUMBER | SUBSTANCE NAME | ACTIVE | RESTRICTED ENTRY INTERVAL |
|-----------------|--|----------------------------|---|
| HSR100578 | Lavron | lambda-cyhalothrin | <ul style="list-style-type: none"> - Beans, forage brassica, tomatoes, sweet corn, clover seed crops, cereals, maize 48 hrs - Vegetable brassica 7 days - Onions 3 days - Grapes 5 days |
| HSR100829 | Kaiso 50 WG | lambda-cyhalothrin | <ul style="list-style-type: none"> - Beans, forage brassica, tomatoes, sweet corn, clover seed crops, cereals, maize 48 hrs - Vegetable brassica 7 days - Onions 3 days - Grapes 5 days |
| HSR101194 | Kongfu | lambda-cyhalothrin | <ul style="list-style-type: none"> - Beans, forage brassica, tomatoes, sweet corn, clover seed crops, cereals, maize 48 hrs - Vegetable brassica 7 days - Onions 3 days - Grapes 5 days |
| HSR101290 | Lavron 50WG | lambda-cyhalothrin | <ul style="list-style-type: none"> - Beans, forage brassica, tomatoes, sweet corn, clover seed crops, cereals, maize 48 hrs - Vegetable brassica 7 days - Onions 3 days - Grapes 5 days |
| HSR000190 | Emulsifiable concentrate containing 500 g/litre maldison | maldison | <ul style="list-style-type: none"> - 13 days |
| HSR100380 | Fyfanon 440 EW | maldison | <ul style="list-style-type: none"> - Avocados 48 hrs - Grapes 7 days - Citrus 48 hrs - Pipfruit 11 days - Stonefruit 7 days - Field crops and vegetables 4 days |
| HSR000462 | Suspension concentrate containing 480 g/litre mancozeb | mancozeb | <ul style="list-style-type: none"> - Apples, pears 5 days - Stonefruit 6 days - Grapes 8 days - Onions 24 hrs - Broccoli, brussels sprouts, cabbage, cauliflower 10 days |
| HSR000470 | Water dispersible granule containing 640 g/kg mancozeb and 40 g/kg metalaxyl-m | mancozeb, metalaxyl-m | <ul style="list-style-type: none"> - Asparagus 10 days - Grapes 6 days |
| HSR000614 | Water dispersible granule containing 300 g/kg copper as copper hydroxide and 150 g/kg mancozeb | mancozeb, copper hydroxide | <ul style="list-style-type: none"> - Apples, pears 5 days - Stonefruit 6 days - Grapes 8 days - Onions 24 hrs - Broccoli, brussels sprouts, cabbage, cauliflower 10 days |
| HSR000737 | Water dispersible granule or wettable powder containing 750 - 800 g/kg mancozeb | mancozeb | <ul style="list-style-type: none"> - Apples, pears 5 days - Stonefruit 6 days - Grapes 8 days - Onions 24 hrs - Broccoli, brussels sprouts, cabbage, cauliflower 10 days |

| APPROVAL NUMBER | SUBSTANCE NAME | ACTIVE | RESTRICTED ENTRY INTERVAL |
|-----------------|--|---------------------|---|
| HSR000808 | Water dispersible granule containing 750 g/kg mancozeb | mancozeb | <ul style="list-style-type: none"> - Apples, pears 5 days - Stonefruit 6 days - Grapes 8 days - Onions 24 hrs - Broccoli, brussels sprouts, cabbage, cauliflower 10 days |
| HSR002701 | Agronica Mancozeb Fungicide | mancozeb | <ul style="list-style-type: none"> - Apples, pears 5 days - Stonefruit 6 days - Grapes 8 days - Onions 24 hrs - Broccoli, brussels sprouts, cabbage, cauliflower 10 days |
| HSR007838 | Nautile | mancozeb, cymoxanil | <ul style="list-style-type: none"> - Onions, garlic 24 hrs |
| HSR100972 | Raincozeb Plus | mancozeb | <ul style="list-style-type: none"> - Apples, pears 5 days - Stonefruit 6 days - Grapes 8 days - Onions 24 hrs - Broccoli, brussels sprouts, cabbage, cauliflower 10 days |
| HSR000535 | Water dispersible granule containing 700 g/kg metamitron | metamitron | <ul style="list-style-type: none"> - Beets 24 hours |
| HSR008044 | MITRON 70WG | metamitron | <ul style="list-style-type: none"> - Beets 24 hours |
| HSR100753 | AGPRO Metamitron | metamitron | <ul style="list-style-type: none"> - Beets 24 hours |
| HSR101339 | Mitron Flo | metamitron | <ul style="list-style-type: none"> - Beets 24 hours |
| HSR101345 | Kentron 700 SC Herbicide | metamitron | <ul style="list-style-type: none"> - Beets 24 hours |
| HSR101361 | Goltix Gold | metamitron | <ul style="list-style-type: none"> - Beets 24 hours |
| HSR101186 | Metafol 700 SC | metamitron | <ul style="list-style-type: none"> - Beets 24 hours |
| HSR000584 | Soluble concentrate containing 200 g/litre methomyl | methomyl | <ul style="list-style-type: none"> - Beans 20 days - Cabbage, cauliflower 21days - Cereals 20 days - Glasshouse crops – capsicum, cucumbers, tomatoes 19 days - Grapes 25 days - Lettuce 20 days - Maize sweetcorn 9 days - Pasture 16 days - Bush and canefruit 18 days - Strawberries 16 days - Tomatoes 20 days |
| HSR007761 | ArmourCrop Insecticide | methomyl | <ul style="list-style-type: none"> - 56 days |
| HSR000791 | Soluble concentrate containing 240 g/litre oxamyl | oxamyl | <ul style="list-style-type: none"> - 48 days |
| HSR101125 | DuPont Zorvec Enicade Fungicide | oxathiapiprolin | <ul style="list-style-type: none"> - Until dry |
| HSR100873 | SILO SMOKE | permethrin | <ul style="list-style-type: none"> - 24 hours after ventilation started |
| HSR000703 | Water dispersible granule containing 500 g/kg pirimicarb (Substance B) | pirimicarb | <ul style="list-style-type: none"> - Apples 8 days - Stonefruit 3 days |
| HSR000704 | Water dispersible granule containing 500 g/kg pirimicarb (Substance A) | pirimicarb | <ul style="list-style-type: none"> - Apples 8 days - Stonefruit 3 days |

| APPROVAL NUMBER | SUBSTANCE NAME | ACTIVE | RESTRICTED ENTRY INTERVAL |
|-----------------|--|------------------------------------|--|
| HSR000186 | Smoke generator containing 225 g/kg pirimiphos-methyl | pirimiphos-methyl | - 4 hours after ventilation started |
| HSR000187 | Emulsifiable concentrate containing 25 g/litre permethrin and 475 g/litre pirimiphos-methyl | pirimiphos-methyl and permethrin | - 36 days |
| HSR000192 | Emulsifiable concentrate containing 5 g/litre permethrin and 95 g/litre pirimiphos-methyl | pirimiphos-methyl and permethrin | - 36 days |
| HSR100911 | Ambush | pirimiphos-methyl and permethrin | - Citrus 2 day - Vegetable brassicas 14 days - Flowers 16 days - Grapes 25 days - Tomatoes, cucurbits 48 hrs - Persimmons 16 days - Kiwifruit 10 days - All other crops until dry |
| HSR100602 | Attack | pirimiphos-methyl and permethrin | - Citrus 2 day - Vegetable brassicas 14 days - Flowers 16 days - Grapes 25 days - Tomatoes, cucurbits 48 hrs - Persimmons 16 days - Kiwifruit 10 days - All other crops until dry |
| HSR101001 | Grainguard Supersmoke | pirimiphos-methyl and deltamethrin | - 3 hours after ventilation started |
| HSR101240 | Barricade A12333G Herbicide | prodiamine | - Turf 13 days |
| HSR000200 | Emulsifiable concentrate containing 500 g/litre prothiofos | prothiofos | - Grapes 87 days - All other crops, except: Grapes 93 days |
| HSR101179 | Elatus Plus | solatenol (benzovindiflupyr) | - Until dry |
| HSR000316 | Suspension concentrate containing 240 g/litre tau-fluvalinate. Also contains ethylene glycol | tau-fluvalinate | - Flowers 12 days |
| HSR101142 | Timorex Gold | tea tree oil | - Until dry |



Kate Morrison
Head of Authorisations and Advisory

10 December 2024