

TARGETED CONSULTATION ON REVISED PROPOSALS

Safe work instrument specifying requirements for using ethanedinitrile (EDN)

Responses close 5pm on Friday 7 August 2020

Email: Regulatory.Frameworks@worksafe.govt.nz

Post: Regulatory Frameworks, Consultation on Hazardous Substances Safe Work Instruments, WorkSafe New Zealand, PO Box 165, Wellington 6140

Please use this response form to record your feedback.

If you are mailing your submission please add your contact details in the space provided. If you are emailing back this document, please add an email signature or similar with your contact information.

Name of responder: (or contact for joint response)

Organisation name: (and position if on behalf of an organisation)

Postal address:

Mobile phone:

Email:

I wish to keep my contact details confidential: Yes No

WorkSafe New Zealand will manage any personal information you supply in accordance with the Privacy Act 1993. If your response is made publicly available, your contact details will be removed only if you have indicated this as your preference in the tick box above.

WorkSafe may post your response on its website: worksafe.govt.nz
We may make your response available if answering a request under the Official Information Act 1982.

General comments

Do you have any **general** comments about the revised proposals?

Specific questions

Do you have any comment about the revised **buffer zone period definition** (proposal **one** on the consultation document)?

Do you have any comment about the revised **wind speed and direction monitoring** requirements (proposal **three** on the consultation document)?

Do you have any comment about the revised **use restrictions** for EDN (proposal **two** on the consultation document)?

Do you have any comment about the revised **entry restrictions** (proposal **four** on the consultation document)?

Safe work instrument specifying requirements for using ethanedinitrile (EDN)

Do you have any comment about the revised **concentration of EDN before ventilation takes place** (proposal **five** on the consultation document)?

Do you have any comment about the revised **restriction on movement of logs or processed wood following ventilation** (proposal **seven** on the consultation document)?

Do you have any comment about the revised **restriction on time of ventilation** (proposal **six** on the consultation document)?

Do you have any comment about the revised requirements for the **notification of other PCBUs** (proposal **eight** on the consultation document)?